




Radlader Pallet fork with hyd. spreading



All are CE-marked! Weight
- approximately!



The pallet fork has adjustable interspace and is hydraulically operated.

Features: Chrome-axle, bearing made of Oilon and flow divider.

Requires 3:rd hydraulic function. The system is ready to fit a quick-coupler. Exclusive hydraulic hoses to machine.

Article no	Capacity [ton]	Width [mm]	F-length [mm]	F-dim [mm]	Weight [kg]
4210251012	2,5	1000	1200	100x40	240
4210251312	2,5	1300	1200	100x40	290
4210251512	2,5	1500	1200	100x40	340
4210401512	4	1500	1200	125x45	400
4210252012	2,5	2000	1200	100x40	390
4210401514	4	1500	1400	125x45	420
4210401516	4	1500	1600	125x45	445
4210501512	5	1500	1200	125x50	430
4210402012	4	2000	1200	125x45	455

4210501514	5	1500	1400	125x50	450
4210402014	4	2000	1400	125x45	475
4210501516	5	1500	1600	125x50	490
4210402016	4	2000	1600	125x45	500
4210502012	5	2000	1200	125x50	490
4210502014	5	2000	1400	125x50	510
4210502016	5	2000	1600	125x50	535
4210701512	7	1500	1200	150x60	550
4210801512	8	1500	1200	150x60	575
4210701516	7	1500	1600	150x60	610
4210702012	7	2000	1200	150x60	615
4210801516	8	1500	1600	150x60	635
4210702016	7	2000	1600	150x60	670
4210802012	8	2000	1200	150x60	675
4210802016	8	2000	1600	150x60	735
4210802512	8	2500	1200	150x60	735
4210802516	8	2500	1600	150x60	790
4221001515	10	1500	1500	180x65	790
4221201515	12	1500	1500	180x65	835
4221002015	10	2000	1500	180x65	870
4221202015	12	2000	1500	180x65	915
4221002515	10	2500	1500	180x65	950
4221202515	12	2500	1500	180x65	1040
4221601515	16	1500	1500	180x80	1000
4221602015	16	2000	1500	180x80	1080

4221602515	16	2500	1500	180x80	1210
------------	----	------	------	--------	------

Other dimensions on request: +46 [0] 382 676 00 info@abl.se

ABL Box 200 576 24 SÄVSJÖ SWEDEN Tel +46 (0) 382 676 00 Fax +46 (0) 382 615 20 info@abl.se www.abl.se

